

Model 5837-54 Flex-Bed

Sliding patient surface for easier expansion/retraction to 54" width

Fold Down Foot Rails

Plexiglas Windowed, Rotating Head Rails

Narrower Frame for improved doorway clearance

1 Button Trendelenberg functions

Improved Trapeze efficiency with enhanced patient access

New, *Streamlined* Dual Passage Assist

Impulse Drive System



Features

1,000 lb. Capacity - Static & Transfer

2 Patient Surface Widths in One Frame

3 Piece Interchangeable Width Mattress

"Fold & Roll" One Person Delivery System

Integrated Scale System Option






Exit/Enter at Foot of Bed Option

Bariatric Bed

Shown with options

Manufactured for ConvaQuip Ind., Inc.

MULTIPLE FEATURE, HIGH PERFORMANCE BARIATRIC PLATFORM

	<p>Durable Molded Reinforced Plastic Head and Foot Boards</p>		 <p>Compact, "Fold & Roll", 1 Person Delivery System</p>
	<p>Easiest to use Menu Driven Interface Scale</p>	<p>Patient Surface Width Panel Extends To 48" or 54"</p>	<p>"Fold & Roll" Dimensions Width - 32" Height - 74 1/2" Length -46 1/2" <i>(Hand Rail to Hand Rail)</i></p>
	<p>Load Cells - Specifically Positioned For The Most Accurate Bed Scale System</p>		

Features

Specifications

Multiple Positions:

- Trendelenberg / Reverse Trendelenberg
- Hi-Lo: 14" to 28"
- Cardiac Chair Positioning
- Independent Head & Knee Positioning

Integrated Scale System

Compact "Fold & Roll" 1 person delivery system

3 Widths in 1 Frame 37" to 48" or 54"

easy slide, expand/contract

3 & 4 CornerTrapeze Frame Setup

Impulse Drive System

Attendant ContrOL

Angle Indicators

Battery Back-Up

CPR Release Mechanism

Easy Patient Egress at Foot or Side of Bed

Dimensions

Platform:37" Width x 86" Length

48" Width x 86" Length

54" Width x 86" Length

Frame:93 7/8" Long

40 3/4" Wide Caster to Caster

Class:

Fully Electric: Modular Electronics
 37" Patient Surface Width for Transport
 48" Patient Surface Width for in room use
 54" Patient Surface Width for in room use
 UL 60601-1 / IEC 60601-2-38 and CE Mark

Capacity:

1000 lbs.

Misc:

Hospital Grade Plug
 Low Voltage/High Efficiency
 (Low Power Consumption 1.6 amps)
 Heavy Duty 6" x 1 1/4" Steer & Lock Casters

NEW & IMPROVED FEATURES

Sliding ----->
Expanding/Retracting <-----
-----> "Lock In" Surface

**Accompanying Interchangeable
Mattress Width**



Rotating and Fold Down Foot Side Rails



Rotating



Bed opens
completely
without
having to
remove
side rails.



Fold Down



Both types of foot rails designed to UL60601-1 / IEC 60601-2-38 Standards.

Plexiglas
Windowed
Head Rails



Rotating Head Rails



Head rails lower & raise
easily with added
support device



Strength + Durability

Easy Patient Egress



EASIER SAFER DOWNWARD TRANSFERS

The ultra low 14" deck height provides easier, safer into bed downward transfers for classic, short morbid obese patients.

The Deck is a "critical" 5" lower than the 19" deck of many bariatric beds, yet has the ability to adjust to a 28" deck height providing a safer, easier out of bed downward-transfer for the taller patient as well.

Help your patient In and Out of the Foot of the Bed with the **Dual Passage Assist** option. This unique system enhancement provides the option of exiting or entering the bed through the foot end, encouraging greater patient mobility

STREAMLINED DUAL PASSAGE ASSIST OPTION



NEW & IMPROVED FEATURES

Maximum Support and Transfer Capacity: 1000 lbs.

IMPROVED TRAPEZE OPTION GREATER PATIENT ACCESS

Provides smooth, safe transport of patients up to and including 1,000 lbs. Designed specifically for the maximum in stability and safety, providing dependable support to both patient and staff.



3 & 4
Corner
Setup



New Impulse Drive Reduces Bariatric Care Injuries

Safer for staff- reduce need for dangerous transfers and expensive cumbersome lifts.

Save staff time- no combing the facility for 4-6 nurses to move a 1,000 lb. patient and bed through the facility or risk injury transferring to wheelchair

Improve staff morale - Reducing the number of transfers means you reduce the threat of career ending injuries and improve nursing staff morale in your bariatric unit.

Part of Emergency Evacuation Plan- Only one person is needed to move patient in an emergency.



Impulse Drive System

Safe and Easy Maneuverability through Variable Acceleration & Positioning

Able to make small positioning corrections in the room with ease.

Moves bed down the hall at a walking pace or less at driver's discretion.

Will stop immediately yet gently by removing thumb/finger pressure off the joy stick.


Easily maneuvers in and out of doorways, elevators, turns, etc.

Push Handles



Push handles Well positioned for optimum ease of use. Foam covered for a comfortable and safe grip. Affords less strain and effort for care givers while positioning or moving the bed. Also included with the Impulse Drive System.

Angle Indicators



Angle Indicators - Easy to read and self setting - shows the degree of angle of the head gatch for recording levels of patient comfort relating to upper body positioning.